

















C/N	Throat plate		Feed dog		Presser foot		Comment
	Part No.	Shape	Part No.	Shape	Part No.	Shape	
5	2105	B1109041C00	B1609041C00		D1524415BBC		Suitable for sewing that requires small turns.
6	2106	B1109041D00	B1609041D00		B15244120A0		Compared to B1609041C00, straightness has been improved. Widely used for hem stitching.
7	2107	B1109041D00	B1609041D00		D1524415BBC		Compared to B1609041C00, straightness has been improved.
8	2108	B1109415H0B	11322203		B1524041EB0		For heavy-weight materials, H and J types standard

C/N	Throat plate		Feed dog		Presser foot		Comment
	Part No.	Shape	Part No.	Shape	Part No.	Shape	
9	2109	B1109415H0B	11321908		B1524041EA0		For medium-weight materials
10	2110	B1109415H0B	11322005		B1524041EA0		For extremely heavy-weight materials. Effective for those that require strong stitch tightness.
11	2111	B1109415H0B	11322104		B1524041EA0		For medium-weight materials
12	2112	B1109415H0B	D1609415B0H		B1524041EA0		For extremely heavy-weight materials. Effective for those that require strong stitch tightness.

C/N	Throat plate		Feed dog		Presser foot		Comment
	Part No.	Shape	Part No.	Shape	Part No.	Shape	
13	2113	B1109415H0B	B1609415A00	B15244120A0			For light-weight materials
14	2114	11300308	B1609415B0A	D1524415BAB			For extremely light-weight materials. The presser foot slot is short and suitable for small pitch. Usable needle: Up to #10 (up to NM70)