

QUILT VIRTUOSO PRO

LONG ARM QUILTING MACHINE - ART IN MOTION



LARGE COLOR LCD TOUCH SCREEN

The touch screen display indicates:
Stitch Regulator Mode
LED Light Settings
Speed Control
Stitch Length
Needle Up/Down Position
Automatic or Manual Thread Trimming



HIGH CAPACITY MACHINE DESIGN

18" long x 10" high large workspace ensuring excellent quilting handling and performance



BUILT-IN STITCH REGULATOR

The stitch regulator makes it possible to produce accurate, precise stitching. When you select your stitch mode, the TL-2200QVP communicates with the encoders to maintain perfect stitch length.




PUSH BUTTON HANDLE BAR CONTROLS

Start or stop the machine with your right handle bar. Control the needle up or down position with the left handle bar as well as the automatic thread trimming.



BUILT-IN BOBBIN WINDER

Our bobbin winder operates with an independent motor that winds bobbins as you quilt.





AUTOMATIC NEEDLE POSITIONER

The operator can activate the up or down needle position for perfect stitching placement.



ADJUSTABLE FRONT HANDLE BARS

Padded hand grips can be adjusted to suit your personal needs. Adjust horizontally, vertically or anywhere in between!



ERGONOMICALLY POSITIONED AUXILIARY HAND WHEEL

Convenient, easy reach hand wheel is located on the right side of the sewing head.



ENERGY EFFICIENT DIRECT DRIVE TECHNOLOGY

Direct drive motor allows for smooth, efficient sewing operation with low noise and vibration levels.



LASER LIGHT

The laser beam is positioned to efficiently follow pantographs or patterns while quilting.



SOLID STEEL HEAVY DUTY FRAME

- *10' or 5' Set Up
- *Quick Release Bar System
- *Adjustable Height
- *Optional 2' Extension



FOUR STITCHING MODES TO CHOOSE FROM

Cruise - Precise - Manual - Baste

AUTOMATIC THREAD TRIMMER

Threads are automatically trimmed by push button with the exclusive Juki knife system saving time and increasing efficiency.

EASY MAINTENANCE DRY HEAD SYSTEM

Dry sewing head eliminates the need for lubrication and oil stains on quilting. Occasional manual oiling of the hook is the only oiling needed.

DIRECTIONAL BRIGHT LED LIGHTING

High intensity LED lights are located above the needle. A total of 6 ultra bright lights cover the work area.



SPECIFICATIONS	
Model	TL-2200QVP Quilt Virtuoso Pro
Needle	GB 134R #18
Maximum Sewing Speed	2,200 SPM
Bobbin	Double capacity "M" style bobbin
Drive System	Main shaft, direct drive system
Stitch Adjustment	Controlled by the stitch regulator
Motor	AC servo motor
Size of Quilt Frame (approx.)	W 320cm (Full) / 165cm (Half) x D 100cm
Machine Head	Made in Japan by Juki

JUKI CORPORATION
2-11-1, TSURUMAKI, TAMA-SHI, TOKYO
206-8551, JAPAN
http://www.juki.co.jp